Custom button box 2 wait/enter functions for homes and offices cold aluminium Simon 82 Sense

REF. **8000623-093**

BASIC INFORMATION

FINISH
Matt aluminium

MATERIAL
Thermoplastic

PACKAGING CONTENTS
Keypad and instructions

REMARKS
Requires installation on LON or KNX bus coupling unit (8000100-039 or 8400100-039). Possibility of customising and creating your own configuration by choosing the functions you need from our icon library.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

IP RATING
IP20

TYPE OF MECHANISM
Touch

NUMBER OF POSSIBLE ELEMENTS
1 element

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)
0 - 45 °C

INDICATOR FUNCTION
Yes

POWER SUPPLY (V~)
24 Vdc

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE
Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Fast

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-5:2016

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053128503

UNITARY PACKAGING HEIGHT
77

UNITARY PACKAGING WIDTH
137

UNITARY PACKAGING LENGTH
137

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
1445213

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.033

PRODUCT NET WEIGHT
0.033

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053128503

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
77

PACKAGING WIDTH
137

PACKAGING LENGTH
137

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
129.688

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.033

PACKAGING WEIGHT UNIT
KGM