


Connector HDMI v1.4 + connector USB 2.0 type A

REF. 7501095-039



BASIC INFORMATION

COMPATIBILITY

Simon 75, Simon 82 Detail,
Simon 82 Nature and Simon 82
frames

PACKAGING CONTENTS

HDMI connector + USB
connector and instruction sheet

ETIM CLASS

EC002906

REMARKS

Recommended maximum HDMI cable length 5 metres for category 1 cables and 12 metres for category 2 cables. Recommended maximum USB cable length 5 metres for low-speed devices and 2.2 metres for high-speed devices. For more information see the product instruction sheet.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

REVISION

1.4 + 2.0

CONNECTOR TYPE

HDMI + USB

NUMBER OF CONTACTS

0

NUMBER OF POSSIBLE
ELEMENTS

1 element

FORMAT

HDMI,USB

IP RATING

IP20

TYPE OF MECHANISM

Insertion

OPERATING TEMPERATURE
RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE
(°C)

-25 - 50 °C

VERSION

Single

NUMBER OF WIRES

0

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY
(MM)

5

INSTALLATION TYPE

Suitable for surface and flush
mounting

INSTALLABLE IN FLUSH MOUNT
JUNCTION BOX

Universal

TYPE OF TERMINAL
CONNECTION - FUNCTION 1

Female-female

REGULATIONS

REGULATIONS

No aplica

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053125502

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053125502

PACKAGING VOLUME

0.329

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

57

PACKAGING GROSS WEIGHT

0.077

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

76

PACKAGING NET WEIGHT

0.077

UNITARY PACKAGING GROSS
WEIGHT

0.077

PACKAGING LENGTH

76

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.077