

Back kit for 4 elements with 2 Schuko socket outlets, 1 2xUSB 2.1A charger with smartcharge and 2xRJ45 black Simon 100

REF. 10010403-039



BASIC INFORMATION

FINISH

Black

COMPATIBILITY

Front Kit Simon 100

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC002846

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

4 elements

FORMAT

Schuko,USB

INDICATOR FUNCTION

No

CURRENT (A)

16 A

IP RATING

IP20

TYPE OF MECHANISM

Insertion

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

POWER SUPPLY (V~)

250 V~

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

USB CHARACTERISTICS

10W

USB CURRENT (A)

2,1 A

USB VOLTAGE (V~)

5 Vdc

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for flush mounting

KIT INSTALLATION DIRECTION

Vertical and horizontal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Schuko: 1 click connection (1 click®)

TYPE OF TERMINAL CONNECTION - FUNCTION 2

RJ45 / USB: Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053201374

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053201374

PACKAGING VOLUME

1461680

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

55

PACKAGING GROSS WEIGHT

0.44

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

88

PACKAGING NET WEIGHT

0.44

UNITARY PACKAGING GROSS
WEIGHT

0.44

PACKAGING LENGTH

302

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.44