

## Frame for 1 element aluminium Simon 27 Scudo

REF. 2705610-033



## BASIC INFORMATION

### DESCRIPTION

Frame for 1 element in aluminium (finish that it is recommended to use for covers and rockers) and belonging to the Simon 27 Scudo series and which is supplied with Allen key. It is manufactured in Zamak and its dimensions are 100x100mm. Also, it is a type of frame suitable for flush mounting (both vertically and horizontally), in rooms with a temperature located between 5 and 40°C, although it is capable of withstanding extreme temperatures of -25 to 50°C, approximately. For cleaning, you just need a soft cloth slightly moistened in soapy water and never use abrasive cloths or cleaners that contain chlorine in its formula. Simon 27 Scudo series is a product line (frames, rockers, holder of covers and mechanisms SS 27) created for harsh environments as they offer the maximum protection for environments with risk of impact, unwanted manipulations and vandalism. One of things that makes this series stand out is its function anti-theft and is that it is the Simon 27 Scudo series is only be removed with specific tools as the rocker is held in the frame and this can only be unscrewed with a special key.

### FINISH

Aluminium

### COMPATIBILITY

Simon 27 mechanisms

### ETIM CLASS

EC000007

### MATERIAL

Plastic

### PACKAGING CONTENTS

1 element frame and Allen key

### REMARKS

Supplied with an Allen key. It is recommended to use the aluminium finish for rockers and covers.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP40

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### AVAILABLE IN

1 and 2 elements

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### IK CLASSIFICATION

09

### VERSION

1 element

## INSTALLATION AND MAINTENANCE

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

### INSTALLATION DIRECTION

Horizontal, Vertical

### REMOVABLE

Only with tool

### INSTALLATION TYPE

Suitable for flush mounting

## REGULATIONS

### REGULATIONS

No aplica

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053251126

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING VOLUME

1102500

### UNITARY PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING GROSS WEIGHT

0.248

### PRODUCT NET WEIGHT

0.248

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053070437

### UNITS CONTAINED PACKAGING

5

### PACKAGING HEIGHT

105

### PACKAGING WIDTH

100

### PACKAGING LENGTH

105

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

1.103

### PACKAGING VOLUME UNIT

DMQ

### PACKAGING GROSS WEIGHT

1.24

### PACKAGING NET WEIGHT

1.24

### PACKAGING WEIGHT UNIT

KGM