
Flush-mount trim cover square shallow floor box for 8 elements grey Simon 500 Cima

REF. **52053204-035**



BASIC INFORMATION

DESCRIPTION

The Trim cover for flush mounting in floor box shallow square for eight elements in grey colour of the Simon 500 Cima series is the best example of how it is possible to obtain accessories with the maximum security and the highest quality. Its innovative design has made it one of the most demanded elements. It has dimensions of 277 x 209 x 5 mm His installation? Is carried out without the need for tools in concrete floor and raised floor through the floor box for shallow. His structure? Has been made with halogen-free thermoplastic material; guarantees no flame propagation in case of fire and the low toxicity in case of smoke. Also, this cover includes an optional element to combine with the floor box if not installing the same floor lining.

FINISH

Grey

PACKAGING CONTENTS

Trim cover

MATERIAL

Plastic

ETIM CLASS

EC002417

REMARKS

Optional element. To combine with the floor box if not installing the same floor finish.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
4, 6 and 8 elements

DIELECTRIC STRENGTH
No holes or contours, with 2000V at 50 Hz for 1 minute

MAX TEMP DURING CONSTRUCTION WORK (°C)
+90 °C

HEAT RESISTANCE (°C)
+125°C (according rule IEC 60695-10-2)

IK CLASSIFICATION
08

INSULATION RESISTANCE (V-MΩ)
>5 MOhms at 500V

IP RATING
IP4X

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

NUMBER OF MODULES
8 modules

RAL
7011

VERSION
8 elements

INSTALLATION AND MAINTENANCE

REMOVAL OF COVER
Only with tool

EXTINGUISHING (°C)
+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-2-11)

TYPE OF FASTENING
Using the screws supplied

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
In raised or concrete floor with shallow floor boxes

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + EN 60670-23:2008

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053101698

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.22

PRODUCT NET WEIGHT
0.22

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053101698

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
5

PACKAGING WIDTH
245

PACKAGING LENGTH
360

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
441000

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.22

PACKAGING WEIGHT UNIT
KGM