

External angle accessory for aluminum minitrunking 65x40mm

REF. TMA202406/24



BASIC INFORMATION

FINISH

Grey

MATERIAL

PVC

ETIM CLASS

EC000863

TECHNICAL INFORMATION

IK CLASSIFICATION

07

KIT AVAILABILITY

No

RAL

7035

IP RATING

IP4X

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

REMOVAL OF COVER

Only with tool

REMOVAL OF THE FRAME

Only with tool

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436028456

PRODUCT NET WEIGHT

0.16

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

455000

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436028456

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0.16

UNITARY PACKAGING VOLUME

455000

PACKAGING HEIGHT

65

PACKAGING NET WEIGHT

0.16

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

70

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.16

PACKAGING LENGTH

100