

Mini jack connector for half element white Simon 27 Play

REF. 2701092-030



BASIC INFORMATION

DESCRIPTION

Simon presents the new series of electrical mechanisms, the 27 Play, with a design conception that goes beyond the usual. This series is characterized by its pure lines that blend with the curves, presenting its complete range of electrical mechanisms for the enjoyment of its customers. One of the products included in the Simon Play 27 series is the half-item white mini-jack. With a screw connection, this connector has a maximum recommended length of cabling of 30 meters. Stands out for its easy installation, both in surface-mounted and recessed in the wall, as well as for its resistance to knocks and small accidents thanks to the metal components with halogen-free insulation and thermoplastic trim with which it has been manufactured, its dimensions are 22.5x45 mm and has a typology of 2.5 mm

FINISH

White

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Mini jack connector and instruction sheet

ETIM CLASS

EC000018

REMARKS

Recommended maximum cable length: 30 metres. For more information see the product instruction sheet.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CABLE SECTION ADMITTED (MM)

From 0,2 to 0,5 mm

NUMBER OF CONNECTORS

1

CONNECTOR TYPE

Mini-Jack

NUMBER OF CONTACTS

3

NUMBER OF POSSIBLE ELEMENTS

Half element

FORMAT

Mini-Jack

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM

Insertion

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

TYPE

3.5 mm

VERSION

Single

NUMBER OF WIRES

3

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

5

CLAW

Simon 27

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American, Small spaces and Centralisations

INSTALLATION TYPE

Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053090220

UNITARY PACKAGING HEIGHT

36.4

UNITARY PACKAGING WIDTH

72.2

UNITARY PACKAGING LENGTH

72.2

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0.19

UNITARY PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING GROSS WEIGHT

0.056

PRODUCT NET WEIGHT

0.038

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053090220

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

60

PACKAGING WIDTH

75

PACKAGING LENGTH

75

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

0.338

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.056

PACKAGING NET WEIGHT

0.038

PACKAGING WEIGHT UNIT

KGM

VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO





DIAGRAMA DE MONTAJE



*Placa y chasis NO incluidos