Upward flat angle accessory for Cablomax trunking 130x55mm PVC

REF. **TKA011113/8**



BASIC INFORMATION

DESCRIPTION

Accessory for Cablomax channel made of aluminum 170x55 mm. Adapts the channel to 90º upward bends in the same plane. Manufactured with high-quality thermoplastic materials and finished in aluminum for proper integration with the channel.

FINISH	MATERIAL	ETIM CLASS
Aluminium	Aluminium	EC000876

REMARKS

The product installation can be supplemented with related accessories, as well as combined with K45 functions.

TECHNICAL INFORMATION

IK CLASSIFICATION
07

IP RATING
IP4X

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS
Only with tool

REMOVAL OF COVER
Only with tool

REMOVAL OF THE FRAME
Only with tool

INSTALLATION TYPE
On Wall and Ceiling

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436029286

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
16632000

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
1.27

PRODUCT NET WEIGHT
1.27

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436029286

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
180

PACKAGING WIDTH
280

PACKAGING LENGTH
330

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
16632000

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
1.31

PACKAGING NET WEIGHT
1.27

PACKAGING WEIGHT UNIT
KGM