

# PD-15 True Presence HF+LUX BT Mesh recessed On/Off white IP20

REF. 89210114-230



## BASIC INFORMATION

### DESCRIPTION

Presence and brightness detector for flush mounting. The recommended installation height is 2.8 m, with a maximum height of 12 m. It has a detection angle of 360° and an opening angle of 160°. The tangential detection range is 15 m, and the radial detection range is 15 m. The brightness regulation range is 2 - 2000 lux, and the timing range is 20 s - 60 min. The detector configuration is done via a Bluetooth application. It has a TEACH operating mode. Possibility of interconnection between sensors via Bluetooth. The control output is On/Off, and the maximum switchable power is 1500 W (600 W LED). The power supply voltage is 220 - 240 VAC. The operating temperature of the detector is: -20 - 50 °C. White finish, protection degree IP 20, and dimensions: 103 x 103 x 89 mm. 5-year warranty.

For more product information, visit STEINEL website by clicking [here](#)

### FINISH

White

### COMPATIBLE WITH MECHANICAL PUSH BUTTON

Yes

### ETIM CLASS

EC000133

## TECHNICAL INFORMATION

### FREQUENCY

50 - 60 Hz

### MAXIMUM POWER (W)

1500

### RAL

9003

### IP RATING

IP20

### POWER SUPPLY (V~)

220/240 V~

### CONTROL

On/Off

## INSTALLATION AND MAINTENANCE

### MINIMUM INSTALLATION HEIGHT

2

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053342145

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING GROSS WEIGHT

0.331

### PRODUCT NET WEIGHT

0.194

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053342145

### UNITS CONTAINED PACKAGING

1

### PACKAGING HEIGHT

141

### PACKAGING WIDTH

141

### PACKAGING LENGTH

141

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

2803221

### PACKAGING VOLUME UNIT

MMQ

### PACKAGING GROSS WEIGHT

0.331

### PACKAGING NET WEIGHT

0.194

### PACKAGING WEIGHT UNIT

KGM