Duplex power socket isolated ground 15A 127V~ orange Simon 82

REF. **82426-59**



BASIC INFORMATION

FINISH

Orange

TECHNICAL INFORMATION

CABLE SECTION ADMITTED (MM)

3,3 mm

CURRENT (A)

15 A

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VOLTAGE (V~)

127 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
11

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
41

UNITARY PACKAGING WIDTH
54.7

UNITARY PACKAGING LENGTH
68.9

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0.155

UNITARY PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING GROSS WEIGHT
60

PRODUCT NET WEIGHT
55.2

UNITARY PACKAGING WEIGHT UNIT
GRM

PACKAGING EAN
7506020309541

UNITS CONTAINED PACKAGING
8

PACKAGING HEIGHT
46

PACKAGING WIDTH
139

PACKAGING LENGTH
227

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1.451

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0.48

PACKAGING NET WEIGHT
441.6

PACKAGING WEIGHT UNIT
KGM

VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO





DIAGRAMA DE MONTAJE



*Placa y chasis NO incluidos

DIAGRAMA DE CONEXIÓN