


**Mechanism-holder unit IP66 with manual lock and Italian
socket P40 socket outlet with 1 RJ45 category 6 UTP
stainless steel Simon K45**

REF. KSE36U/23/72



BASIC INFORMATION

DESCRIPTION

It is a mechanism-holder unit with manual closure and type Italian P40 socket outlet with 1 RJ45 category 6 UTP. This article is made of AISI 304 stainless steel, while the baseboard is self-extinguishing thermoplastic and halogen-free, a material highly secure in the event of a fire. The product has dimensions of 130 x 130 x 55 mm and is included in the Simon 27 series. Its design allows incorporation in any type of floor, both in raised or concrete floor floor, and by combining the mechanism-holders unit with the tray appropriate to the type of installation (reference KGE170 for concrete floor, and reference KGE170TF for raised floor). Also, the cover has anchor points that protecting the connections pressures and stresses produced by the traffic of people during its use. For the maintenance of this mechanism-holder unit, use a soft and dry cloth. With the range update, its equivalent for the new version is the KFH116U/72 reference.

FINISH

Stainless steel

MATERIAL

Stainless steel

ETIM CLASS

EC000024

REMARKS

The cover has anchor points that protect the connections during use against pressures and stresses due to the passage of personnel.

TECHNICAL INFORMATION

NUMBER OF CONNECTORS

1

CURRENT (A)

16 A

RECESS DIMENSION (MM)

145 x 145 mm en suelo técnico

DUST SHUTTER

No

IP RATING

IP66

VOLTAGE (V~)

250 V~

IK CLASSIFICATION

07

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

12

REMOVAL OF COMPONENTS

Only with tool

NUMBER OF COVER OPENING POSITIONS

1

REMOVAL OF COVER

Only with tool

EXTINGUISHING (°C)

+650 °C (according to standard IEC 60670)

REMOVAL OF THE FRAME

Only with tool

CAN BE INSTALLED IN TRAY

Plastic

REMOVAL OF THE SOCKET

Only with tool

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053333914

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.448

PRODUCT NET WEIGHT

0.374

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053333914

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

82

PACKAGING WIDTH

147

PACKAGING LENGTH

155

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1445213

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.448

PACKAGING NET WEIGHT

0.374

PACKAGING WEIGHT UNIT

KGM