

## Plate for presence detector, 180° angle of coverage white Simon 82

REF. 82060-30



## BASIC INFORMATION

### DESCRIPTION

The most avant-garde, a plate for the presence detector with coverage angle of 180° in white colour, belonging to the Simon 82 series that have a wide variety of textures with minimalist designs and noble finishes. If you want the latest in electrical elements, you can combine the different designs of the plate and attach them easily as they are suitable for surface-mounted and to be recessed, taking into account their dimensions 55x55 mm. This new collection is compatible with the Simon 77 series, this series allows you to connect the cables without the need for stripping, braiding or using additional tools to place them, reducing installation time. The plate has a maximum quality as far as the material of manufacture is concerned since it is formed by thermoplastic that has intervals of average temperature between 5 and 40°C and as added one will have an optimal security since it complies with the following regulation of the electrical elements UNE-EN 60669-2-1: 2005 + A1: 2010 + A2: 2011.

### FINISH

White

### MATERIAL

Plastic

### PACKAGING CONTENTS

Plate

### SYMBOL

Without engravings

### COMPATIBILITY

Simon 75 mechanisms

### ETIM CLASS

EC000011

### REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP20

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### NUMBER OF POSSIBLE ELEMENTS

1 element

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### INDICATOR FUNCTION

No

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Horizontal, Vertical

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-2-1:2004 | EN 60669-2-1:2004 A1:2009 | EN 60669-2-1:2004 A12:2010 | EN IEC 63000:2018

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053259153

### UNITARY PACKAGING GROSS WEIGHT

0.015

### PACKAGING LENGTH

120

### UNITARY PACKAGING HEIGHT

0

### PRODUCT NET WEIGHT

0.015

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING VOLUME

0.807

### UNITARY PACKAGING LENGTH

0

### PACKAGING EAN

8421053086933

### PACKAGING VOLUME UNIT

DMQ

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITS CONTAINED PACKAGING

5

### PACKAGING GROSS WEIGHT

0

### UNITARY PACKAGING VOLUME

0

### PACKAGING HEIGHT

82

### PACKAGING NET WEIGHT

0.075

### UNITARY PACKAGING VOLUME UNIT

MMQ

### PACKAGING WIDTH

82

### PACKAGING WEIGHT UNIT

KGM