

Angled voice and data plate with dust cover 1 element for 2 RJ45 graphite Simon 500 Cima

REF. 50000086-038



BASIC INFORMATION

DESCRIPTION

Voice and data plate, with dust shutter, an element and for two RJ45 connectors. It is available in a stylish finished in graphite grey colour and belongs to the Simon 500 Cima series. The snap-fit of the product is made according to combined MD module. This is the individual version of a single module, it is also available for 1 or 2 RJ45 connectors. This plate Simon 500 Cima includes the clips required for fastening in both vertical and horizontal enclosures without resorting to any adaptor. Its dimensions are 50 x 50 millimetres, with a depth of 21 millimetres. It is manufactured using a thermoplastic material, halogen-free, which ensures the security in its use. These components minimize the toxicity if there is smoke and guarantees no flame spread in case of fire management. For maintenance optimum you just need to use a soft and dry cloth. Do not include RJ45 connectors.

FINISH

Graphite

PACKAGING CONTENTS

Angled voice and data plate with
dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

FORMAT

RJ45

PLATE TYPE

Angled

AVAILABLE IN

Plate for 1 and 2 RJ45

IP RATING

IP20

RAL

7021

RJ45 CONNECTORS

Not included in voice and data plate

KIT AVAILABILITY

No

RJ45 ADAPTOR MODULE

Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

SNAP-FIT RJ45 PLATES

Corresponding to combined MD module

DUST PROTECTION

Yes

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

SNAP-FIT TYPE

Corresponding to combined MD module

DUST SHUTTER

Yes

NUMBER OF MODULES

1

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053254509

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.029

PRODUCT NET WEIGHT

0.029

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053095096

UNITS CONTAINED PACKAGING

20

PACKAGING HEIGHT

88

PACKAGING WIDTH

123

PACKAGING LENGTH

136

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1.472

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.58

PACKAGING WEIGHT UNIT

KGM

