Floor attachment base for mini columns with 1 side stainless steel Simon K45

REF. **RALK005/8**



BASIC INFORMATION

DESCRIPTION

Designed for floor attachment base for 4-side mini 1 side. With metal finish, the article is made of stainless steel and has dimensions of 100 x 100 mm x 81 This is a product designed as a replacement part, in the case of which is lost or must be replaced. It is in compliance with the regulation and is suitable for installation on any type of floor, be it a raised or concrete flooring. This is the temperature of installation optimum must be between -25 and 120 °, according to the manufacturer. The article is included in the Simon 27 series, a collection that offers all kinds of solutions to improve the workplace solutions in any environment, as for the maintenance of this base fixing, it is advisable to clean it with a soft, dry cloth and avoid abrasive cleaning products that are composed of chlorine.

FINISH

Metal

MATERIAL

Stainless steel

PACKAGING CONTENTS

Floor attachment base and fastening screws

ETIM CLASS

EC002454

REMARKS

Product envisaged as a replacement part, in the event of loss or substitution.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
1-sided, 2-sided (square and oval) and 4-sided

DIELECTRIC STRENGTH
Without perforation or contournament with 2000 V at 50H during 1 minute

MAX TEMP DURING CONSTRUCTION WORK (°C)
+120° C

EARTHING RESISTANCE
< 0.05 ?

HEAT RESISTANCE (°C)
+650°C (according rule IEC 60695-10-2)

INSULATION RESISTANCE (V-MΩ)
5 MOhms at 500 V.

IP RATING
IP4X

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-25 a 120° C

VERSION
1-sided

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING
Using supplied screws

INSTALLATION DIRECTION
Horizontal

INSTALLATION TYPE
Suitable for installing on any floor type, whether raised or concrete

SCREWS REQUIRED FOR FLOOR FIXING
4

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + EN 50085-2-4:2009

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436056466

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0.3

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.315

PRODUCT NET WEIGHT
0.315

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436056466

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
88

PACKAGING WIDTH
123

PACKAGING LENGTH
136

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1.472

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0.315

PACKAGING NET WEIGHT
0.315

PACKAGING WEIGHT UNIT
KGM