

Spotlight 740.00 Rail 4000K Spot CR90 Black

REF. 74000038-294



BASIC INFORMATION

DESCRIPTION

The 740.00 Rail Spotlight 4000 K Spot CR90 Black of the range 740 of Simon is one of those spotlights that are interesting in almost all its features sheets. Starting with the colour temperature, this is a spotlight that reaches a colour temperature of 4000 K that allows you to send a light of the white colour neutral type.

We can note also that has a capacity of light emission in the time it takes to the least 30,000 hours at an average temperature of 25 degrees. This durability of the output is reinforces with its structure, thanks to the fact that the spotlight has been designed with aluminium through a high thermal design that allows it to withstand the high temperatures without any problem.

In fact, its black colour with textured paint is extremely stylish and sophisticated and therefore sectors economic and restaurants, commercial premises, facilities for retail, or even museums and art galleries demand this spotlight in particular. Another factor that contributes to this is its Colour rendering index (CRI) 90 out of 100, the most high levels of the sector, which guarantees a general lighting, but also organise in the elements or zones of light chosen.

APPLICATION

Accent lighting,General lighting

ETIM CLASS

EC001744

REMARKS

This version is only available on request. For information on terms please contact our commercial representatives.

TECHNICAL INFORMATION

IP RATING

IP20

COLOR TYPE

NW

OPTICS

Spot

COLOR TEMPERATURE (K)

4000 K

LIGHTING EFFICIENCY (LM/W)

76 lm/W

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

CRI

90

LUMENS (LM)

2280 lm

POWER (W)

30 W

L70 (°C)

30,000 h at 25 °C

LUMENS/W

2280lm/30W

SERVICE LIFE

30 000 h

CHROMATICS CRI ICONS

CRI
90

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Rail

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053215081

PACKAGING VOLUME
6412500

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
1

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
285

PACKAGING GROSS WEIGHT
1.2

UNITARY PACKAGING GROSS
WEIGHT
1.2

PACKAGING WIDTH
150

PACKAGING NET WEIGHT
1

PRODUCT NET WEIGHT
1

PACKAGING LENGTH
150

PACKAGING WEIGHT UNIT
KGM