R-TV + SAT signal socket single and RJ45 voice and data category 6 UTP Simon 100

REF. **10000470-039**



BASIC INFORMATION

DESCRIPTION

This is a simple modular R-TV + SAT signal socket with voice and data, in RJ45 format and category 6 UTP, which is part of the wide and wide range of Simon 100 items. with screw connection and insert operation for its installation it will suffice to place it on the surface support. The material with which it has been manufactured is a socket of metal components with a halogen-free thermoplastic insulation, capable of reaching temperatures between 5 and 40 and being able to withstand up to a maximum of -25 C minimum and 50 C maximum. This outlet complies with all security systems according to current regulations.

PACKAGING CONTENTS

R / TV + SAT socket and instruction sheet

ETIM CLASS

EC000439

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

REVISION
Category 6

CONNECTOR TYPE
R-TV+SAT+RJ45

NUMBER OF POSSIBLE ELEMENTS
1 element

FORMAT
R/TV,RJ45,SAT

IP RATING
IP20

TYPE OF MECHANISM
Insertion

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
Double

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
universal

INSTALLATION DIRECTION
Horizontal, Vertical

INSTALLATION TYPE
Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

REGULATIONS

REGULATIONS
Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50083-2:2012 + EN 50173-1:2011 + EN 50581:2012 + IEC 60603-7-4:2010

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.066

PRODUCT NET WEIGHT
0.066

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053145791

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
65

PACKAGING WIDTH
70

PACKAGING LENGTH
195

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
887250

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.33

PACKAGING NET WEIGHT
0.33

PACKAGING WEIGHT UNIT
KGM