


Frame for 3 elements graphite beech wood base Simon 82 Detail Select

REF. 8201630-271



BASIC INFORMATION

FINISH

Graphite/Wood

MATERIAL

Plastic

COMPATIBILITY

Simon 75, Simon 77 and Simon 82 mechanisms

PACKAGING CONTENTS

Frame with 3 elements

ETIM CLASS

EC000007

REMARKS

PEFC certified natural wood to promote sustainable forest growth. It is recommended to use the graphite finish for rockers and covers.

TECHNICAL INFORMATION

AVAILABLE IN

1, 2, 3 and 4 elements

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

3 elements

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

LOGISTICS INFORMATION

UNITARY EAN CODE	UNITARY PACKAGING WEIGHT	UNITS CONTAINED PACKAGING
8421053115558	UNIT	1
	KGM	
UNITARY PACKAGING GROSS WEIGHT	UNITARY PACKAGING WIDTH	PACKAGING MEASUREMENT UNIT
0.1	0	MMT
UNITARY PACKAGING HEIGHT	PACKAGING EAN	PACKAGING VOLUME
0	8421053115558	271320
UNITARY PACKAGING LENGTH	PACKAGING GROSS WEIGHT	PACKAGING VOLUME UNIT
0	0	MMQ
PRODUCT NET WEIGHT	PACKAGING HEIGHT	PACKAGING WEIGHT UNIT
0.1	12	KGM
UNITARY PACKAGING VOLUME	PACKAGING LENGTH	PACKAGING WIDTH
0	238	95
	PACKAGING NET WEIGHT	
	0.1	