

Mini jack connector for half element graphite Simon 27 Play

REF. 2701092-038



BASIC INFORMATION

DESCRIPTION

This half element mini-jack audio connector is graphite colour and measures 22.5x45mm. belongs to the Simon 27 Play series is a collection that proposes an avant-garde concept when it comes to redecorating own spaces, thanks to its versatile mechanisms and extensive range of electronic functions. Specifically, this mini-jack connector is suitable for surface and flush mounting and its installation does not involve any major complications. Includes screw-terminal connection system. Remember that the correct fastening is essential to ensure proper operation. The device consists of metal components with halogen-free insulation and trim made of thermoplastic, a material that stands out for its strength. It is recommended that the maximum length of cabling is 30 meters for optimum performance. If in doubt, please refer to the instruction sheet of the article. For maintenance, use a soft and slightly damp cloth.

FINISH

Graphite

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Mini jack connector and instruction sheet

ETIM CLASS

EC000018

REMARKS

Recommended maximum cable length: 30 metres. For more information see the product instruction sheet.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CABLE SECTION ADMITTED (MM)

From 0,2 to 0,5 mm

NUMBER OF CONNECTORS

1

CONNECTOR TYPE

Mini-Jack

NUMBER OF CONTACTS

3

NUMBER OF POSSIBLE ELEMENTS

Half element

FORMAT

Mini-Jack

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM

Insertion

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

TYPE

3.5 mm

VERSION

Single

NUMBER OF WIRES

3

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

5

CLAW

Simon 27

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American, Small spaces and Centralisations

INSTALLATION TYPE

Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053117705

PRODUCT NET WEIGHT

0.01

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

337500

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053117705

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

60

PACKAGING NET WEIGHT

0.01

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

75

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.01

PACKAGING LENGTH

75