

SLIM SYSTEM modular luminaire Start Section DALI/0-10V with power input Black

REF. 91899407-088



BASIC INFORMATION

FINISH

Black

APPLICATION

Domestic, Office, Retail, Hotel, Contract

PACKAGING DIMENSIONS (MM)

Ø15x105x40 mm

BODY MATERIAL

Aluminium

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC002556

TECHNICAL INFORMATION

IP RATING

IP20

CONTROL

DALI,0-10 V

ELECTRICAL CLASS

III

RAL

9005

DRIVER INCLUDED

No

ENERGY EFFICIENCY

A+

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suspended

REGULATIONS

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE

8436547079872

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8436547079872

PACKAGING VOLUME

3201975

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

107

PACKAGING GROSS WEIGHT

0.43

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

95

PACKAGING NET WEIGHT

0.31

UNITARY PACKAGING GROSS
WEIGHT

0.43

PACKAGING LENGTH

315

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.31