

2-way switch monoblock 10AX 250V~ with screw terminal connection system aluminium Simon 73 Loft

REF. 73201-53



BASIC INFORMATION

DESCRIPTION

Both individuals and professionals rely fully in the Simon 73 Loft series at the time of purchase control mechanisms. In this range, we can find the monoblock 2-way switch with 10 AX current and voltage 250V~ with screw terminal connection finished in aluminium. This is a system in which has a rocker operation. This control mechanism has a half of, 75x75 mm, a cable section of 1.5 to 2.5 mm and the stripping of the 13 mm wire. Its resistance to knocks is one of the most outstanding features in this element, which has been manufactured with metal components with halogen-free insulation and thermoplastic trims. Also, these materials allow its structure is not affected by the passage of time thanks to the temperature or the humidity, which make this 2-way switch in perfect for large buildings.

FINISH

Aluminium

PACKAGING CONTENTS

Mechanism with rocker and frame

ETIM CLASS

EC001590

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

NOMINAL VOLTAGE (V~)

250 V~

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

No

TYPE OF MECHANISM

Pivoting

VERSION

Single

CURRENT (A)

10 AX

MONOBLOCK

Yes

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

13

INSTALLATION DIRECTION

Horizontal, Vertical

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

INSTALLATION TYPE

Suitable for surface mounting

REGULATIONS

REGULATIONS

No aplica

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053068342

PACKAGING VOLUME
1.565

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
5

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
82

PACKAGING GROSS WEIGHT
0.445

UNITARY PACKAGING GROSS
WEIGHT
0.089

PACKAGING WIDTH
83

PACKAGING NET WEIGHT
0.445


PRODUCT NET WEIGHT
0.089

PACKAGING LENGTH
230


PACKAGING WEIGHT UNIT
KGM

MECANISMOS SIMON 73


Mecanismos básicos / Basic switches




Interrupor unipolar / Single-pole switch
73101-39




Pulsador / Push button switch
73150-39



Interrupor bipolar / Double pole switch
73131-39




Conmutador cruce / Intermediate switch
73251-39



Conmutador / 2-way switch
73201-39

Mecanismos con luminoso / Switches with light



Pulsador / Push button switch
73160-39