


Decorative frame for flush-mounted mounting block CIMA Classic for 6 double positions white Simon CIMA

REF. SM600/9



BASIC INFORMATION

FINISH

White

MATERIAL

Plastic

COMPATIBILITY

With flush-mounted wall frame
Cima Classic of 6 double
elements Simon Cima

ETIM CLASS

EC000007

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)

+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION

08

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL

9003

RECESS DIMENSION (MM)

146 x 355 mm

INSTALLATION AND MAINTENANCE

EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

INSTALLATION DIRECTION

Horizontal, Vertical

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436017795

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

718200

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.073

PRODUCT NET WEIGHT

0.073

UNITARY PACKAGING WEIGHT UNIT

KGM

UNITS CONTAINED PACKAGING

5

PACKAGING HEIGHT

63

PACKAGING WIDTH

150

PACKAGING LENGTH

380

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3591000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.365

PACKAGING NET WEIGHT

0.365

PACKAGING WEIGHT UNIT

KGM