

Spotlight 640.30 Surface mount Rose Wide Flood White

REF. 64030030-481



BASIC INFORMATION

DESCRIPTION

Model spotlight for Indoor lighting reference number 64030030-481, element to offer lighting Constant and high performance in work spaces professionals Indoor. It is a range of the spotlight Professional 640 with excellent technical qualities, it has a lighting colour Rose and a value of optics WIDE FLOOD enhancing a constant light and High performance. Incorporates an electrical control of the type and values of ON-OFF Power up to 23 W. Element category B with a Dimensions of 185x130 () mm, designed for an easy assembly and surface mount installation colour, tones and finishes in white, the piece appearance and technically High quality.

APPLICATION

General lighting

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS (LM)

1700 lm

IP RATING

IP20

ELECTRICAL CLASS

type 1

LUMENS/W

1700 lm/30W

OPERATING TEMPERATURE RANGE (°C)

35 °C maximum

L70 (°C)

100,000 h at 25° C

OPTICS

Wide Flood

POWER SUPPLY (V~)

120/240 V~

L90 (°C)

30,000 h at 25 °C

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

COLOR TEMPERATURE (K)

1750 K

COLOR TYPE

Rose

POWER (W)

30 W

CONTROL

On/Off

LIGHTING EFFICIENCY (LM/W)

57 lm/W

SERVICE LIFE

50.000 h

INSTALLATION AND MAINTENANCE

INSTALLATION ALTERNATIVES

Suspended

INSTALLATION TYPE

Surface

REGULATIONS

WARRANTY

5 years 50,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053141663

PACKAGING VOLUME
6200000

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
1

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
155

PACKAGING GROSS WEIGHT
1.754

UNITARY PACKAGING GROSS
WEIGHT
1.754

PACKAGING WIDTH
160

PACKAGING NET WEIGHT
1.59

PRODUCT NET WEIGHT
1.59

PACKAGING LENGTH
250

PACKAGING WEIGHT UNIT
KGM