

Electronic dimmer 230 V LED strip (PWM) Simon 100

REF. 10000314-039



BASIC INFORMATION

COMPATIBILITY

Compatible with 120W (12Vdc) /
240W (24Vdc) LED strips

PACKAGING CONTENTS

Variateur et fiche d'instructions

ETIM CLASS

EC000025

REMARKS

It is only necessary to add the power supply, without other external elements (pads, push-buttons, controllers, etc.)

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

No

OPERATING TEMPERATURE RANGE (°C)

0 - 40 °C

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

POWER SUPPLY (V~)

12/24 Vdc

NUMBER OF POSSIBLE ELEMENTS

Half element

TYPE OF MECHANISM

Detection // Pulse switch button

VERSION

Individual

INSTALLATION AND MAINTENANCE

BUS CONNECTION TYPE OF TERMINAL CONNECTION

Por inserción

INSTALLATION DIRECTION

Horizontal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

universal

INSTALLATION TYPE

Flush-mount box installation, not false ceiling.

REGULATIONS

REGULATIONS

Directive 2014/35/EU LVD + Directive 2014/30/EU EMC + Directive 2011/65/EU RoHS + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009 + EN 60669-2-1:2004 A12:2010

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053216460

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.036

PRODUCT NET WEIGHT

0.036

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053216460

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

55

PACKAGING WIDTH

40

PACKAGING LENGTH

65

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

143000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT


0.036

PACKAGING NET WEIGHT

0.036

PACKAGING WEIGHT UNIT

KGM



Para información más detallada consultar la hoja de instrucciones
For more detailed information check the instruction sheet