

Ledline 815 WW 600 mm

REF. 81530033-983



BASIC INFORMATION

DESCRIPTION

LEDLINE 815 with warm colour temperature with light output of 700 lm / 10 W. It is a rigid LED strip of Simon that integrates perfectly to all kinds of projects, offering a lighting effect that manages to highlight the architecture of those. This piece is designed for installation in surface-mounted, it is in aluminium colour and has a weight of 0,200 kg What is ideal to locate it in environments whose temperatures range between -15 and 40°C for optimum conservation. Thanks to its slimline design and simple installation, it is ideal for public places such as corridors, in cabinets or shelves, highlighting the shapes of the same. The Terminal LED consists of button on-off and, in addition, offers a service life of up to 35000 hours, always be careful equip. In terms of the most common applications of this product, we make reference to hotels and offices.

APPLICATION

Ambient lighting, Alcove lighting, Furniture lighting

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC000282

REMARKS

Luminaires for interconnecting up to a maximum of 150W

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS (LM)

700 lm

IP RATING

IP20

ELECTRICAL CLASS

Type 1

LUMENS/W

700 lm/10W

OPERATING TEMPERATURE RANGE (°C)

-15 - 40 °C

INTEGRATED POWER SUPPLY

Yes

OPTICS

General

POWER SUPPLY (V~)

230 V~

L70 (°C)

35,000 h at 25 °C

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

COLOR TEMPERATURE (K)

3100 K

LIGHT BEAM APERTURE ANGLE (°)

120°

POWER (W)

10 W

CONTROL

On/Off

COLOR TYPE

WW

SERVICE LIFE

30.000 h

CRI

80

LIGHTING EFFICIENCY (LM/W)

70 lm/W

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Surface

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053122426

PACKAGING VOLUME

0.586

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

25

PACKAGING GROSS WEIGHT

0.228

UNITARY PACKAGING GROSS WEIGHT

0.228

PACKAGING WIDTH

35

PACKAGING NET WEIGHT

0.228

PRODUCT NET WEIGHT

0.228

PACKAGING LENGTH

670

PACKAGING WEIGHT UNIT

KGM