

Downlight 705.24 Tilt Square WW Wide Flood 1-10V Aluminium

REF. 70524133-483



BASIC INFORMATION

DESCRIPTION

Downlight 705.24 Square with the Simon you will get the maximum quality lighting thanks to its optics of photometric distribution, Wide Flood directional, ideal for lighting ambience in spaces open. With system of adjustment 1-10 V, this downlight provides a warm tone to create atmospheres highly odours. With luminous light flux 1000 lm for WW, and total luminaire consumption of 15.5 W, it is compatible with power Volt voltage 100-240 and 50-60 Hz. Also, is made up of the latest LED technology which guarantees a service life of 30,000 hours at 25 °C. Finishes in aluminium, it has a compact dimension of 88 x 96 mm and is designed for flush installation, which ensures integration of the set in the space, providing a current and minimalist style.

APPLICATION

Ambient lighting

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS/W

1000 lm/15,5W

IP RATING

IP20

ELECTRICAL CLASS

Type 2

OPTICS

Wide Flood

OPERATING TEMPERATURE RANGE (°C)

40 °C maximum

INTEGRATED POWER SUPPLY

No

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

POWER SUPPLY (V~)

100/240 V~

L70 (°C)

30,000 h at 25 °C

POWER (W)

15.5 W

COLOR TEMPERATURE (K)

3100 K

COLOR TYPE

WW

POWER SUPPLY DIMENSIONS (MM)

45x141x26 mm

CONTROL

1-10 V

LIGHTING EFFICIENCY (LM/W)

65 lm/W

SERVICE LIFE

30.000 h

CRI

80

LUMENS (LM)

1000 lm

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

MINIMUM INSTALLATION HEIGHT

136

INSTALLATION TYPE

Flush mount

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.602

PRODUCT NET WEIGHT

0.602

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053122389

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

135

PACKAGING WIDTH

145

PACKAGING LENGTH

155

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3.034

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.602

PACKAGING NET WEIGHT

0.602

PACKAGING WEIGHT UNIT

KGM