

RJ45 connector IT AMP® category 6 UTP double with adapter Simon 100

REF. 10002544-039



BASIC INFORMATION

DESCRIPTION

Fast and efficient connections thanks to the RJ45 ports of the computer connector, compatible with AMP, category 6 UTP double and with adapter included in the Simon 100 collection. To ensure the best possible connection quality, computing anywhere in the home or the workplace is the priority of this range, which, thanks to compact designs and a minimalist style, guarantees the integration of the whole in compact spaces and which provides the best and most efficient solutions of work. This Category 6 UTP RJ45 connector, it is designed for flush installation with a total of 2 connectors that take up minimum space and maximize the functionality of the set. It is made of metallic materials with insulated halogen-free thermoplastics, which prevent flame spread and smoke toxicity in the event of fire and allow the connector to reach a temperature range of 5 to 40 ° C and maximum temperatures from -25 to 50 ° C. Functionality, innovation and optimal working solutions are united in this connector which, in addition, protects your room and brings style thanks to Simon 100.

FINISH

Black

PACKAGING CONTENTS

Double AMP® RJ45 connector and adapter

ETIM CLASS

EC000018

COMPATIBILITY

Keystone and Avaya Connectors

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

REVISION

Category 6

CONNECTOR TYPE

RJ45

NUMBER OF POSSIBLE ELEMENTS

Half element

FORMAT

RJ45

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

Unique

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

universal

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for flush mounting

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + EN 50173-1:2011 + EN 50581:2012 + IEC 60603-7-4:2010

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053145838

PACKAGING VOLUME
887250

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
5

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
65

PACKAGING GROSS WEIGHT
0.15

UNITARY PACKAGING GROSS
WEIGHT
0.03


PACKAGING WIDTH
70

PACKAGING NET WEIGHT
0.15

PRODUCT NET WEIGHT
0.03

PACKAGING LENGTH
195

PACKAGING WEIGHT UNIT
KGM



Para información más detallada consultar la hoja de instrucciones
For more detailed information check the instruction sheet