

IP66 tray link accesory for floor boxes in concrete

REF. KFA1002



BASIC INFORMATION

DESCRIPTION

A waterproof floor box for linking IP66 cubicles on pavement floor using the KFA1002 accessory within the Simon K45 series. Made of metal, it offers the perfect design for an elegant space, with maximum safety, connectivity, and resistance. If more connection points are needed, this accessory allows the union of cubicles on any of its four sides. Thanks to its design, it enables the grouping of cubicles within their perimeter, providing additional connection points. Its metal composition with aluminum finishes allows it to achieve an installation temperature range of -25°C to 60°C, which can be exceeded in construction.

COMPATIBILITY

K45 Solutions

ETIM CLASS

EC002420

TECHNICAL INFORMATION

IP RATING

IP66

KIT AVAILABILITY

Yes

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

EXTINGUISHING (°C)

+650 °C (according to standard IEC 60670)

REMOVAL OF THE FRAME

Only with tool

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60670-23:2008 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053383308

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.208

PRODUCT NET WEIGHT

0.192

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053380376

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

570

PACKAGING WIDTH

760

PACKAGING LENGTH

760

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

329232000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

2.083

PACKAGING NET WEIGHT

1.92

PACKAGING WEIGHT UNIT

KGM

