


**Back kit for 4 elements with 2 2P+E sockets + 1 2xUSB 2.1A
double charger with smartcharge + 2 black RJ45 connectors
Simon 100**

REF. 10010407-039



BASIC INFORMATION

FINISH

Black

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC002846

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

TYPE OF MECHANISM

Insertion

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CLAW

INSTALLATION DIRECTION

Horizontal and vertical

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

universal

INSTALLATION TYPE

Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

2P socket: Connection (1 click®)

TYPE OF TERMINAL CONNECTION - FUNCTION 2

RJ45 / USB: Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053232255

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053232255

PACKAGING VOLUME

1993200

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

75

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

88

PACKAGING NET WEIGHT

0.447

UNITARY PACKAGING GROSS
WEIGHT

0.447

PACKAGING LENGTH

302

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.447