

Linear spotlight 610 RGB Wide Flood 650

REF. 61031533-500



BASIC INFORMATION

DESCRIPTION

This linear spotlight 610 RGB WIDE FLOOD is ideal for installation in any space, especially those such as retail, restaurants or museums. It is an article made in aluminium and suitable for installation in surface-mounted. It measures 650x48x37 mm more the socket and a weight of 1.1 kg What is ideal to place it in spaces whose temperature ranges between -20 and 40° for an optimal result. One of its most valued qualities is its service life of 50,000 hours. The product consists of 18 LEDs, which ensures a light quality suitable to any environment. The linear spotlight is designed, in fact, for accent and bathed wall-mounted and effects of colour. Due to its features, it supports the possibility of including rail. The choice of this product of Simon is a success, thanks to factors such as its low energy consumption and extended life.

APPLICATION

Accent lighting,Wall
lighting,Colour effects

PACKAGING CONTENTS

1 unit

REMARKS

Information on Voltage and Frequency using 60W power supply ref: 61095200-063

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

No

LUMENS/W

1100 lm/35W

IP RATING

IP20

ELECTRICAL CLASS

Type 3

OPTICS

Wide Flood

OPERATING TEMPERATURE RANGE (°C)

-20 - 40 °C

L70 (°C)

50,000 h at 25 °C

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

POWER SUPPLY (V~)

100/240 V~

COLOR TYPE

RGB

POWER (W)

35 W

CONTROL

Power Box DMX

LIGHTING EFFICIENCY (LM/W)

31 lm/W

SERVICE LIFE

50.000 h

DIRECTIONAL

Yes

LUMENS (LM)

1100 lm

INSTALLATION AND MAINTENANCE

INSTALLATION ALTERNATIVES

Rail, Flush mount, Suspended

INSTALLATION TYPE

Surface

REGULATIONS

WARRANTY

5 years 50,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053086261

PACKAGING VOLUME
2.31

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
1

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
70

PACKAGING GROSS WEIGHT
0

UNITARY PACKAGING GROSS
WEIGHT
1.256

PACKAGING WIDTH
50

PACKAGING NET WEIGHT
1.256

PRODUCT NET WEIGHT
1.256

PACKAGING LENGTH
660

PACKAGING WEIGHT UNIT
KGM