
Decorative frame for flush-mounted mounting block CIMA Classic for 6 double positions white Simon CIMA

REF. **SM600/9**



BASIC INFORMATION

FINISH
White

MATERIAL
Plastic

COMPATIBILITY
With flush-mounted wall frame Cima Classic of 6 double elements Simon Cima

ETIM CLASS
EC000007

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)
+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION
08

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL
9003

RECESS DIMENSION (MM)
146 x 355 mm

INSTALLATION AND MAINTENANCE

EXTINGUISHING (°C)
+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

INSTALLATION DIRECTION
Horizontal, Vertical

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436017795

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
718200

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.073

PRODUCT NET WEIGHT
0.073

UNITARY PACKAGING WEIGHT UNIT
KGM

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
63

PACKAGING WIDTH
150

PACKAGING LENGTH
380

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
3591000

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.365

PACKAGING NET WEIGHT
0.365

PACKAGING WEIGHT UNIT
KGM