

Inspection cover for 2 double elements for installation on pavement or technical floor in gray Simon Cima

REF. S200/1



BASIC INFORMATION

FINISH

Grey

MATERIAL

Various

COMPATIBILITY

With 2 double elements plastic buckets Simon Cima when installed on pavement floor.

ETIM CLASS

EC001903

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)

+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION

08

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL

7011

RECESS DIMENSION (MM)

170 x 155 mm

INSTALLATION AND MAINTENANCE

NUMBER OF COVER OPENING POSITIONS

2

EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-2-11)

CAN BE INSTALLED IN TRAY

Plástica

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436015579

PRODUCT NET WEIGHT

0.775

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

3325000

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436015579

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0.775

UNITARY PACKAGING VOLUME

3325000

PACKAGING HEIGHT

100

PACKAGING NET WEIGHT

0.775

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

190

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.775

PACKAGING LENGTH

175