

2P+T socket 15A 127V~ graphite Simon 26

REF. 2600422-038



BASIC INFORMATION

FINISH

Graphite

TECHNICAL INFORMATION

CABLE SECTION ADMITTED (MM)

3,3 mm

CURRENT (A)

15 A

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

NOMINAL VOLTAGE (V~)

127 V~

POWER SUPPLY (V~)

127 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY
(MM)

11

TYPE OF TERMINAL
CONNECTION - FUNCTION 1

Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

7506207321809

UNITARY PACKAGING GROSS
WEIGHT

27.1

PACKAGING LENGTH

202

UNITARY PACKAGING HEIGHT

22.7

PRODUCT NET WEIGHT

27.1

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

40.1

UNITARY PACKAGING WEIGHT
UNIT

GRM

PACKAGING VOLUME

2.563

UNITARY PACKAGING LENGTH

50

PACKAGING EAN

7506207321878

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING
MEASUREMENT UNIT

MMT

UNITS CONTAINED PACKAGING

20

PACKAGING GROSS WEIGHT

0.538

UNITARY PACKAGING VOLUME

0.046

PACKAGING HEIGHT

135

PACKAGING NET WEIGHT

542

UNITARY PACKAGING VOLUME
UNIT

DMQ

PACKAGING WIDTH

94

PACKAGING WEIGHT UNIT

KGM

VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO





DIAGRAMA DE MONTAJE



*Placa y chasis NO incluidos

DIAGRAMA DE CONEXIÓN

