

Kit Flash 60 consisting of USB A+C charger 18W end in Quick-connection connector white Simon 400

REF. 43120200-130



BASIC INFORMATION

DESCRIPTION

Kit based on USB charger type A+C 18W in white finish to be installed in furniture with an optional protective cover to allow for closure and conceal connections when not in use. This product is supplied in white finish, assembled and wired with a 20 cm long flexible cable ending in a male quick connect overhead connector of 3 poles type Wieland® GST8i with safety anchoring to facilitate safe connection and disconnection from the power network without the need to interrupt the power supply. The kit is supplied with the internal connections already made. It is only necessary to create the hole in the furniture where the product will be fasten and once done, connect it to the power supply to make it functional.

FINISH

White

MATERIAL

Plastic

ETIM CLASS

EC002949

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF CONTACTS

2

RAL

9003

PROTECTION AGAINST DIRECT ACCESS OF CONTACTS

Yes

FORMAT

USB A + USB C

RECESS DIMENSION (MM)

ø54 mm

PROTECTION AGAINST ENTRY OF DUST AND SMALL OBJECTS

Protective lid available (as an option) to protect the USB charger against entry of dust and small objects

HEAT RESISTANCE (°C)

+70°C (according to standard IEC 60670)

RJ45 ADAPTOR MODULE

No

IP RATING

IP20

SNAP-FIT RJ45 PLATES

No

RJ45 CONNECTORS

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

SNAP-FIT TYPE

No

CONNECTOR TYPE

USB A + USB C

VOLTAGE (V~)

230 V~

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

EXTINGUISHING (°C)

+650 °C (according to standard IEC 60670)

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

Quick connector

REMOVAL OF CONNECTOR

No tools needed

REMOVAL OF THE FRAME

Only with tool

MOUNTING WITHOUT ACCESSORIES

Supplied with all necessary materials for installation.

REMOVAL OF COVER

Only with tool

SECURING POSSIBILITIES

Using supplied claws

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053305270

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.166

PRODUCT NET WEIGHT

0.166

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053305270

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

72

PACKAGING WIDTH

72

PACKAGING LENGTH

105

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

544320

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.166

PACKAGING NET WEIGHT

0.166

PACKAGING WEIGHT UNIT

KGM