Ofiblock Compact mounted and wired with 4 sockets and 2 rear diecuts in the last positions

REF. **KFC106040LP2/9**



BASIC INFORMATION

DESCRIPTION

KIT Ofiblock Compact offering maximum functionality in a compact size. With its minimal depth and wide range of accessories, it is suitable for installation on raised floors, walls, furniture, metallic surfaces with magnets, or on DIN rails. Designed to meet the specific needs of each space, it comes with pre-mounted and pre-wired K45 modules, providing a complete and efficient solution. It includes a side entry with a 3-pole male quick connector (Wieland type) and two rear knockouts in the last two positions for optimal routing of voice, data, or multimedia cabling to the K45 modules you choose to install. These are electromagnetically protected and shielded thanks to the included protective trays. Self-extinguishing halogen-free thermoplastic covers protect the space in the event of a fire.

FINISH

White

COMPATIBILITY

Functions of the Simon K45 range and combinable with the Simon Electrical Wiring range.

ETIM CLASS

EC002759

REMARKS

Profile with higher compactness to enable convergence of power, voice, data and multimedia solutions with minimal depth

TECHNICAL INFORMATION

FORMAT
Schuko

CURRENT (A)
16 A

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

HEAT RESISTANCE (°C)
+125°C (according to standard IEC 60670)

IP RATING
IP4X

RAL
9003

INSTALLATION AND MAINTENANCE

EXTINGUISHING (°C)
+850 °C (according to standard IEC 60670)

SECURING POSSIBILITIES
Its design allows it to be surface-mounted on the wall, on table-top furniture, under a desk, on a raised floor, a metal surface with magnet, or on a DIN rail using specific fastening accessories.

INSTALLATION DIRECTION
Horizontal, Vertical

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053290590

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.58

PRODUCT NET WEIGHT
0.58

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053290590

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
60

PACKAGING WIDTH
55

PACKAGING LENGTH
411

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1356300

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.62

PACKAGING NET WEIGHT
0.58

PACKAGING WEIGHT UNIT
KGM