

Blinds/louvres switch Simon 100

REF. 10001359-039

BASIC INFORMATION

DESCRIPTION

Blinds/louvres switch from the Simon 100 iO series. Allows regulation of louvre orientation via electric actuation. Designed for flush-mounted installation and compatible with Simon iO connected systems.

MATERIAL

ABS Plastic

ETIM CLASS

EC000044

REMARKS

Element designed for the control of adjustable slat blinds SuperGradhermetic via the ISG80/83 SOMFY controller. Requires Desktop HUB for installation and operation (communication via Z-Wave protocol).

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

+5...+40

NUMBER OF CONTACTS

4

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

POWER SUPPLY (V~)

125/250 V~

FREQUENCY

50 - 60 Hz

VOLTAGE (V~)

125/250 V~

CURRENT (A)

10 AX

MAXIMUM POWER (W)

2

NUMBER OF WIRES

5

NOMINAL VOLTAGE (V~)

125/250 V~

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053301760

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053301760

PACKAGING VOLUME

232375

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

55

PACKAGING GROSS WEIGHT

0.104

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

65

PACKAGING NET WEIGHT

0.083

UNITARY PACKAGING GROSS WEIGHT

0.083

PACKAGING LENGTH


65

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.083



Para información más detallada consultar la hoja de instrucciones
 For more detailed information check the instruction sheet