
French socket base + 2USB C+C Simon 75

REF. **7541458-039**



BASIC INFORMATION

DESCRIPTION

French socket base + 2 USB C+C from the Simon 75 series.

MATERIAL

Metal,Plastic

ETIM CLASS

EC000125

TECHNICAL INFORMATION

CABLE SECTION ADMITTED (MM)
1.5 - 2.5

CONNECTOR TYPE
French,USB C

NUMBER OF CONTACTS
3

NUMBER OF POSSIBLE ELEMENTS
1

FORMAT
French,USB C

FREQUENCY
50 Hz

CURRENT (A)
16 A

IP RATING
IP20

LINKABLE
Yes

MONOBLOCK
No

NOMINAL VOLTAGE (V~)
230 V~

OPERATING TEMPERATURE RANGE (°C)
0...+35

POWER SUPPLY (V~)
250 V~

RECESS DIMENSION (MM)
45

NUMBER OF SOCKETS
1

STORAGE TEMPERATURE RANGE (°C)
-25...+50

USB CHARACTERISTICS
5,0 VDC / 3,0 A / 15,0 W | 5,0 VDC / 3,0 A / 15,0 W | 9,0 VDC / 2,2 A / 19,8 W | 12,0 VDC / 1,7 A / 20,4 W

USB CURRENT (A)
3.0 A

USB PORT TYPE
C

POWER DELIVERY USB
Yes

QUICK CHARGE USB
Yes

USB VOLTAGE (V~)
5/12 V~

VOLTAGE (V~)
230 V~

NUMBER OF WIRES
3

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
10

CLAW
Optional

REMOVAL OF COVER
Only with tool

INSTALLATION DIRECTION
Horizontal

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0

PRODUCT NET WEIGHT
0

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053467329

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
80

PACKAGING WIDTH
80

PACKAGING LENGTH
120

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
768000


PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.03

PACKAGING NET WEIGHT
0

PACKAGING WEIGHT UNIT
KGM


L
N


TOP
74 mm
74 mm
36 mm
49,4 mm