

Front kit for 3 elements with 2 German socket outlets, and 1 2xUSB charger with smartcharge matt black Simon 100

REF. 10020309-238



BASIC INFORMATION

DESCRIPTION

Front kit for 3 elements with 2 bases Schuko plug and 1 charger 2xUSB with smartcharge made in matte black, ideal for those spaces where you want to give an image of elegance. This product is part of Simon's 100 series.

As for the technical characteristics, it has an intensity in Schuko of 16 A and in USB of 2.1 A. Its activation is by insertion, its dimensions are 225.5x83.5mm and its voltage is 250 V~.

The contents of its packaging include the cover and the keys. This product can be placed both vertically and horizontally. It is a standard product that is marketed in the EC.

For maintenance and cleaning it is advisable to use a soft cloth slightly dampened in soapy water, so as to avoid the use of cleaners that may contain chlorine, to increase the durability of the material on the surface of the product.

The device must be preserved in an interval of between 5° C and 40° C for its correct operation and the interval of the temperature for its storage oscillates between -25° C and 50° C. It complies with the following regulation: 2014/35/UE LVD + directive 2011/65/EU RoHS + EN 50581: 2012 + EN 60669-1: 1999 + EN 60669-1: 1999 A1: 2002 + EN 60669-1: 1999 A2: 2008.

FINISH

Matt black

COMPATIBILITY

Kit mechanisms Simon 100

ETIM CLASS

EC000007

MATERIAL

Thermoplastic

PACKAGING CONTENTS

Mechanism and instructions

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

3 elements

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

FORMAT

Schuko,USB

MONOBLOCK

Yes

VERSION

3 elements

INDICATOR FUNCTION

No

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Vertical and horizontal

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053213711

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053213711

PACKAGING VOLUME

480295.2

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

25.3

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

226

PACKAGING NET WEIGHT

0.132

UNITARY PACKAGING GROSS
WEIGHT

0.132

PACKAGING LENGTH

84

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.132