


## Trim plate for 1 XLR connector male or female for 1 element white Simon K45

REF. K122/9



## BASIC INFORMATION

### DESCRIPTION

This trim plate is the series of Simon K45 and is specially designed for 1 male or female XLR connector, 1 element that should be purchased separately. Its installation is extremely simple and you can perform through flush mounted or surface-mounted. Also, the product includes housings 5 millimetres diameter housings for fastening the connector to the plate with screws. The plate has dimensions of 45 x 45 millimetres by 8.5 millimetres of depth. It comes in a traditional white colour, it is ideal with connectors of the same colour and that will make the final set is incorporate into everyday easily in any ambience of the room where it is, regardless of its appearance. The plate is made of halogen-free thermoplastic, so that is characterized by having great security, because this material allows the no-propagation of the flame in case of fire and reduces the toxicity of smoke.

### FINISH

White

### MATERIAL

Plastic

### COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

### PACKAGING CONTENTS

Plate for 1 XLR connector

### ETIM CLASS

EC000018

### REMARKS

Connector not included (to be purchased separately). The plate includes 5-mm diameter housings for fixing the connector to the plate with screws.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP20

### TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

### MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

### KIT AVAILABILITY

No

### NUMBER OF MODULES

Half

### FORMAT

XLR

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### RAL

9003

### INDICATOR FUNCTION

No

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### TYPE OF FASTENING

Fixing by direct snap-fit, no tools needed

### INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

### REMOVAL OF THE PLATE

Only with tool

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

## LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.009

PACKAGING MEASUREMENT

UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT

UNIT

KGM

PACKAGING VOLUME

911400

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436044814

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0.3

UNITS CONTAINED PACKAGING

20

PACKAGING GROSS WEIGHT

0.18

UNITARY PACKAGING VOLUME

UNIT

MMQ

PACKAGING HEIGHT

70

PACKAGING NET WEIGHT

0.18

UNITARY PACKAGING GROSS  
WEIGHT

0.009

PACKAGING WIDTH

93

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

140