


Trim plate for 1 BNC connector for 1 element white Simon K45

REF. K102/9



BASIC INFORMATION

DESCRIPTION

This is the perfect complement trim plate for 1 BNC connector for one element of the series of Simon products, K45, since it is specially designed for it. It has dimensions of 45 x 22.5 millimetres and 8.5 millimetres of depth. Its installation is very simple and allows the user to carry it out by means of flush mounted or directly on the surface-mounted, so that it is a highly versatile product. It is necessary to highlight that the plate includes housing for fastening the connector with a rear screw, which simplifies even more to its installation. The product is presented in a traditional white colour, which is perfect for connectors of the same colour, giving uniformity appearance to the final set, which is integrate easily in any room where it is placed. The manufacturing material of the plate is halogen-free thermoplastic, which contributes to the no-propagation of the spread in case of fire and reduces the toxicity of smoke. This provides security and great resistance to the product.

FINISH

White

MATERIAL

Plastic

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

PACKAGING CONTENTS

Plate for 1 BNC connector

ETIM CLASS

EC000018

REMARKS

The plate includes housings for fastening the connector with a rear screw. Connector not included (to be purchased separately).

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

AVAILABLE IN

Version with 1 75-Ohm BNC connector with soldered connection

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

FORMAT

BNC

INDICATOR FUNCTION

No

IP RATING

IP20

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

NUMBER OF MODULES

Four

RAL

9003

VERSION

Single

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

Fixing by direct snap-fit, no tools needed

INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

REMOVAL OF THE PLATE

Only with tool

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.006

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING VOLUME

544320

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436038134

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0.3

UNITS CONTAINED PACKAGING

20

PACKAGING GROSS WEIGHT

0.12

UNITARY PACKAGING VOLUME
UNIT

MMQ

PACKAGING HEIGHT

72

PACKAGING NET WEIGHT

0.12

UNITARY PACKAGING GROSS
WEIGHT

0.006

PACKAGING WIDTH

72

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

105