


Bipolar socket base 16 A 250V~ with screw terminal connection Simon 75

REF. 75431-39



BASIC INFORMATION

DESCRIPTION

Bipolar socket base 16 A 250 V~ Simon 75 with screw terminal connection system, designed for electrical installations with two-pole connection in residential and professional environments. It supports a nominal current of 16 amperes at 250 V~, ensuring a stable and safe power supply. It incorporates a screw connection system that ensures a firm and durable fixation of the wiring, facilitating precise installation. The covers include integrated child protection that reinforces safety in the home and public use spaces. Made with metallic components and halogen-free thermoplastic insulation, in accordance with IEC 60884-1 standards, it offers resistance, durability, and high performance within the Simon 75 series and compatible frames.

MATERIAL

Plastic,Metal

COMPATIBILITY

Marcos Simon 75, Simon 82 Detail, Simon 82 Nature, Simon 82 Concept, and Simon 82.

PACKAGING CONTENTS

Socket outlet

ETIM CLASS

EC000125

REMARKS

The covers include the child protection function.

TECHNICAL INFORMATION

AVAILABLE MARKET CE	CURRENT (A) 16 A	OPERATING TEMPERATURE RANGE (°C) 5 - 40 °C
CABLE SECTION ADMITTED (MM) 2,5 mm	IP RATING IP20	RECESS DIMENSION (MM) 30
NUMBER OF POSSIBLE ELEMENTS 1 element	LINKABLE Yes	STORAGE TEMPERATURE RANGE (°C) -25 - 50 °C
FORMAT Two-pole	TYPE OF MECHANISM Insertion	VERSION Single
FREQUENCY 50 Hz	MONOBLOCK No	VOLTAGE (V~) 250 V~
INDICATOR FUNCTION No	NOMINAL VOLTAGE (V~) 250 V~	NUMBER OF WIRES 4

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM) 14	REMOVAL OF COVER Only with tool	INSTALLATION TYPE Suitable for surface and flush mounting
CLAW Simon 75	INSTALLABLE IN FLUSH MOUNT JUNCTION BOX Universal	TYPE OF TERMINAL CONNECTION - FUNCTION 1 Screw

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012 + IEC 60884-1 Ed 3.2

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053256091

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.07

PRODUCT NET WEIGHT

0.07

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053025383

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

83

PACKAGING WIDTH

165

PACKAGING LENGTH

221

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3.027

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.67

PACKAGING NET WEIGHT

0.7

PACKAGING WEIGHT UNIT

KGM

