

Bipolar Switch for DIN Rail 16A 100-230 V~ for Total Lighting Shutdown iO Simon 100

REF. 10002890-039



BASIC INFORMATION

FINISH

Black

COMPATIBILITY

Simon 100 y Simon 270.

ETIM CLASS

EC001590

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

CURRENT (A)

16 A

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INDICATOR FUNCTION

No

IP RATING

IP19

POWER SUPPLY (V~)

100/230 V~

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053233481

UNITARY PACKAGING HEIGHT

60

UNITARY PACKAGING WIDTH

35

UNITARY PACKAGING LENGTH

90

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

189000

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.11

PRODUCT NET WEIGHT

0.11

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053233481

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

85

PACKAGING WIDTH

75

PACKAGING LENGTH

95

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

605625

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT


0.16

PACKAGING NET WEIGHT

0.11

PACKAGING WEIGHT UNIT

KGM



Para información más detallada consultar la hoja de instrucciones
 For more detailed information check the instruction sheet