

iO French socket outlet 16A 230V~ champagne Simon 270

REF. 21000458-094



BASIC INFORMATION

FINISH

Champagne

COMPATIBILITY

Simon 270 frames

ETIM CLASS

EC000125

TECHNICAL INFORMATION

CURRENT (A)

16 A

IP RATING

IP20

POWER SUPPLY (V~)

127/230 V~

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | Dir. 2014/53/UE RED | EN 50428:2005 | EN 50428:2005 A1:2007 | EN 50428:2005 A2:2009 | EN IEC 63000:2018 | ETSI EN 300328 V2.2.2 | IEC 60884-1 Ed 3.2 | UNE 20315-1-1:2017 | UNE 20315-1-2:2017 | DS 60884-2-D1:2023

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053303573

UNITARY PACKAGING HEIGHT

82

UNITARY PACKAGING WIDTH

57.1

UNITARY PACKAGING LENGTH

55.3

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

1

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.089

PRODUCT NET WEIGHT

0.089

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053303573

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

82

PACKAGING WIDTH

57.1

PACKAGING LENGTH

55.3

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

258925.66

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT


0

PACKAGING NET WEIGHT

0.089

PACKAGING WEIGHT UNIT

KGM



Para información más detallada consultar la hoja de instrucciones
 For more detailed information check the instruction sheet