VGA HD15 female connector with trim plate aluminium Simon K45

REF. **K100B/8**



BASIC INFORMATION

DESCRIPTION

The brand Simon brings to multimedia installations all the elements necessary for carrying it out. In this way it offers a comprehensive solution to all your connectivity needs and multimedia connections. This includes audiovisual plates for multimedia connections of spotlights, audio systems, mobile devices, video conference and IT equipment . All the solutions for your conference rooms, connection of spotlights mixing rooms, etc., and places in which a high speed connection in image and audio is required. Easy installation using screws. Compatible with Simon safety systems. Connectors and plates for multimedia. VGA HD15 female connector with trim plate. aluminium finish. Range Simon K45 clamping by screw. Method application by Insertion. Maximum recommended length of cabling: 20 meters. Single connector. Suitable for surface mounting and flush mounting. Metal components with self-extinguishing and halogen-free thermoplastic insulation that guarantees no flame propagation in case of fire and low toxicity in case of smoke dimensions of 45x45 mm Clean with a soft and dry cloth, it is recommended to use cleaners without chlorine.

FINISH

Aluminium

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-033)

PACKAGING CONTENTS

VGA HD15 female connector and instruction sheet

ETIM CLASS

EC000018

REMARKS

Maximum wire length recommended; 20 meters For additional information, please read the product instruction sheet

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 0,2 to 0,5 mm

CONNECTOR TYPE
VGA

NUMBER OF CONTACTS
15

NUMBER OF POSSIBLE ELEMENTS
1 item

FORMAT
VGA

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)
-25 - 50 °C

VERSION
Single

NUMBER OF WIRES
10

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-033)

INSTALLATION TYPE
Suitable for surface and flush mounting

REGULATIONS

REGULATIONS
Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436058941

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.035

PRODUCT NET WEIGHT
0.035

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436058941

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
50

PACKAGING WIDTH
42

PACKAGING LENGTH
50

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
0.012

PACKAGING VOLUME UNIT
HLT

PACKAGING GROSS WEIGHT
0.023

PACKAGING NET WEIGHT
0.035

PACKAGING WEIGHT UNIT
KGM