

## Standard button box 1 function graphite Simon 82 Sense

REF. 8000611-038



### BASIC INFORMATION

**FINISH**

Graphite

**MATERIAL**

Thermoplastic

**PACKAGING CONTENTS**

Keypad and instructions

**SYMBOL**

Dot

**COMPATIBILITY**

Simon Sense Mechanisms

**ETIM CLASS**

EC000672

**REMARKS**

Requires installation on LON or KNX bus coupling unit (8000100-039 or 8400100-039). Possibility of customising and creating your own configuration by choosing the functions you need from our icon library.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### NUMBER OF POSSIBLE ELEMENTS

1 element

### INDICATOR FUNCTION

Yes

### CURRENT (A)

8,2 mA

### IP RATING

IP20

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### TYPE OF MECHANISM

Touch

### OPERATING TEMPERATURE RANGE (°C)

0 - 45 °C

### POWER SUPPLY (V~)

24 Vdc

### RELATIVE HUMIDITY

From 20 to 85% (without condensation)

### SLIDE CONTROL

Yes

### SOUND FEEDBACK

Yes

### STORAGE TEMPERATURE RANGE (°C)

25 - 70 °C

### VIBRATION FEEDBACK

Yes

## INSTALLATION AND MAINTENANCE

### BUS CONNECTION TYPE OF TERMINAL CONNECTION

Por inserción

### INSTALLATION TYPE

Suitable for surface and flush mounting

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-5:2016

## LOGISTICS INFORMATION

UNITARY EAN CODE 8421053128305	UNITARY PACKAGING WEIGHT UNIT KGM	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING HEIGHT 0	PACKAGING EAN 8421053128305	PACKAGING VOLUME 129.688
UNITARY PACKAGING WIDTH 0	UNITS CONTAINED PACKAGING 1	PACKAGING VOLUME UNIT CMQ
UNITARY PACKAGING LENGTH 0	PACKAGING HEIGHT 26	PACKAGING GROSS WEIGHT 0.04
UNITARY PACKAGING VOLUME 0	PACKAGING WIDTH 58	PACKAGING NET WEIGHT 0.04
UNITARY PACKAGING GROSS WEIGHT 0.04	PACKAGING LENGTH 86	PACKAGING WEIGHT UNIT KGM
PRODUCT NET WEIGHT 0.04		