

# RJ11 telephone socket half element with 4 contacts ivory

## Simon 27 Play

REF. 27480-31



### BASIC INFORMATION

#### DESCRIPTION

Telephone socket with four RJ11 pins in ivory colour of the Simon 27 Play series, you will have available four series Simon 27 Play is one of the most avant-garde series in the market, offering an impeccable design line and unique advantages in terms of personalization of components to adapt the best way to your home. The range of colors available to customize the covers and rockers covers for the ivory RJ11 telephonic outlet of colour are: Blue, graphite, red, grey and green, with these colors offered by the Simon 27 Play range are endless possibilities. Manufactured with a material highly cared for and high quality for frequent use in a home. In addition, there is a type of frame sleeves that can vary in colour and are available for editing the colors: Cream, orange, red, blue, pistachio, yellow, black and grey. The possibilities are endless, take advantage of them with Simon!

#### FINISH

Ivory

#### COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

#### PACKAGING CONTENTS

Telephone socket with 4 RJ11 pins

#### ETIM CLASS

EC000018

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### CABLE SECTION ADMITTED (MM)

From 0,3 to 0,5 mm

### NUMBER OF CONNECTORS

1

### CONNECTOR TYPE

RJ11

### NUMBER OF CONTACTS

4

### NUMBER OF POSSIBLE ELEMENTS

Half element

### FORMAT

RJ

### IP RATING

IP20

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### TYPE OF MECHANISM

Insertion

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### TYPE

Category 3

### VERSION

Single

### NUMBER OF WIRES

2

## INSTALLATION AND MAINTENANCE

### CABLE STRIPPING NECESSARY (MM)

12

### CLAW

Simon 27

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American, Small spaces and Centralisations

### INSTALLATION TYPE

Suitable for surface and flush mounting

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

## REGULATIONS

### REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053252208

### UNITARY PACKAGING HEIGHT

27

### UNITARY PACKAGING WIDTH

45.7

### UNITARY PACKAGING LENGTH

45.7

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING VOLUME

0.056

### UNITARY PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING GROSS WEIGHT

0.017

### PRODUCT NET WEIGHT

0.012

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053026946

### UNITS CONTAINED PACKAGING

20

### PACKAGING HEIGHT

53

### PACKAGING WIDTH

160

### PACKAGING LENGTH

220

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

1.866

### PACKAGING VOLUME UNIT

DMQ

### PACKAGING GROSS WEIGHT

0.338

### PACKAGING NET WEIGHT

0.24

### PACKAGING WEIGHT UNIT

KGM