

Duple socket outlet 2P+E with safety 15A 127V graphite Simon 25 Plus

REF. 25424-38



BASIC INFORMATION

FINISH

Graphite

TECHNICAL INFORMATION

CABLE SECTION ADMITTED (MM)

3,3 mm

CURRENT (A)

15 A

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

NOMINAL VOLTAGE (V~)

127/220 V~

POWER SUPPLY (V~)

127/220 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY
(MM)

11

TYPE OF TERMINAL
CONNECTION - FUNCTION 1

Screw

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

41.2

UNITARY PACKAGING GROSS
WEIGHT

72.55

PACKAGING LENGTH

227

UNITARY PACKAGING WIDTH

41.6

PRODUCT NET WEIGHT

72.55

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING LENGTH

67.4

UNITARY PACKAGING WEIGHT
UNIT

GRM

PACKAGING VOLUME

1.451

UNITARY PACKAGING
MEASUREMENT UNIT

MMT

PACKAGING EAN

7506020301156

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING VOLUME

0.116

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

0.726

UNITARY PACKAGING VOLUME
UNIT

DMQ

PACKAGING HEIGHT

46

PACKAGING NET WEIGHT

725.5

PACKAGING WIDTH

139

PACKAGING WEIGHT UNIT

KGM

VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO





DIAGRAMA DE MONTAJE



*Placa y chasis NO incluidos

DIAGRAMA DE CONEXIÓN

