

Schuko socket base monobloc 10-16A 250V~ with lateral earthing with screw terminal connection for surface mounting white Simon Aqua

REF. 4490472-030



BASIC INFORMATION

FINISH

White

COMPATIBILITY

Simon 27 Mechanisms

ETIM CLASS

EC000125

TECHNICAL INFORMATION

FORMAT

Schuko

CURRENT (A)

16 A

IK CLASSIFICATION

07

IP RATING

IP55

INDICATOR FUNCTION

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

MONOBLOCK

Yes

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

15

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-1:2018*1 | IEC 60884-1 Ed. 3.2*2 | UNE 20315-1-1:2017*2 | UNE 20315-1-2:2017*2 | EN IEC 60670-1:2021 + A11:2021*3 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING
MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME
UNIT

MMQ

UNITARY PACKAGING GROSS
WEIGHT

0.196

PRODUCT NET WEIGHT

0.196

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING EAN

8421053298787

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

86

PACKAGING WIDTH

155

PACKAGING LENGTH

306

PACKAGING MEASUREMENT
UNIT

MMT

PACKAGING VOLUME

4078980

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

1.96

PACKAGING WEIGHT UNIT

KGM