

Spotlight 640.30 Surface mount WW CRI92 Wide Flood Black

REF. 64030038-493



BASIC INFORMATION

DESCRIPTION

Spotlight 640.30 of the series Simon Projectors 640, in black finish and with Wide Flood. It is a perfect spotlight for indoor lighting and has Ecorrae category B, a colour temperature of 3000 K and a light intensity of 2200 lm / 30 W. It is installed in surface-mounted and works perfectly in rooms with a maximum temperature of 35 ° C and comes to offer a service life of around the 30,000 hours to operate at 25 ° C, approximately. Its weight is 1.6 kg, has a frequency of details of 50 / 50 Hz and works with a power supply of 120-240 V. The series Simon 640.30 is comprised of spotlights for spotlights with LED technology that can be used in retail, museums, exhibitions to achieve a SPOT lighting or general, always depending on size and lighting power. These spotlights are manufactured in aluminium and are controlled via switch On / off.

APPLICATION

General lighting

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

CRI

92

LUMENS (LM)

2100 lm

IP RATING

IP20

DRIVER INCLUDED

Yes

LUMENS/W

2100 lm/30W

OPERATING TEMPERATURE RANGE (°C)

35 °C maximum

ELECTRICAL CLASS

Type 1

OPTICS

Wide Flood

POWER SUPPLY (V~)

120/240 V~

L70 (°C)

100,000 h at 25° C

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

COLOR TEMPERATURE (K)

3000 K

L90 (°C)

30,000 h at 25 °C

POWER (W)

30 W

CONTROL

On/Off

COLOR TYPE

WW


SERVICE LIFE

50.000 h

LIGHTING EFFICIENCY (LM/W)

70 lm/W

CHROMATICS CRI ICONS



INSTALLATION AND MAINTENANCE

INSTALLATION ALTERNATIVES

Suspended

INSTALLATION TYPE

Surface

REGULATIONS

WARRANTY

5 years 50,000 h

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053140994

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

1.754

PRODUCT NET WEIGHT

1.59

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053140994

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

155

PACKAGING WIDTH

160

PACKAGING LENGTH

250

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

6200000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

1.59

PACKAGING WEIGHT UNIT

KGM