


Blind cover for 1 element aluminium Simon K45

REF. K105/8



BASIC INFORMATION

DESCRIPTION

Blind cover for 1 element, finished in aluminium and belonging to the series Simon K45. It is of individual type and has half module, in addition to being a cover perfect to be installed both in surface-mounted and flush mounted, so in rooms with a temperature of between -5 to 60 ° C, although it can withstand extreme temperature. It is manufactured (following the regulation European UNE -s 60670-1: 2006), in halogen-free thermoplastic, which is a material that guarantees the no-propagation of the flame in case of fire and low toxicity in case of smoke. Its dimensions are 45 x 45 x 8.5 mm and its cleaning is quite simple, as only has to need to use a soft and dry cloth and never use abrasive cloths or cleaners containing chlorine in its formulation, as it could be damaged and make the cover does not work of the correct way.

FINISH

Aluminium

MATERIAL

Plastic

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-033)

PACKAGING CONTENTS

Blind plate

ETIM CLASS

EC000011

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

No

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

AVAILABLE IN

Quarter and half module versions

IP RATING

IP20

NUMBER OF MODULES

Half

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

KIT AVAILABILITY

No

VERSION

Single

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

Fixing by direct snap-fit, no tools needed

INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

REMOVAL OF THE PLATE

Only with tool

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-033)

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

UNE-EN 60.670-1:2006

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

PRODUCT NET WEIGHT
0.007

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING VOLUME
544320

UNITARY PACKAGING LENGTH
0

PACKAGING EAN
8426436044609

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0.3

UNITS CONTAINED PACKAGING
20

PACKAGING GROSS WEIGHT
0.12

UNITARY PACKAGING VOLUME
UNIT
MMQ

PACKAGING HEIGHT
72

PACKAGING NET WEIGHT
0.14

UNITARY PACKAGING GROSS
WEIGHT
0.007

PACKAGING WIDTH
72

PACKAGING WEIGHT UNIT
KGM

PACKAGING LENGTH
105