

## Cover for voice and data flat plate with dust cover for 1 Systimax® RJ45 connector aluminium Simon 82 Centralisations

REF. 82593-63



## BASIC INFORMATION

### DESCRIPTION

Cover finished in aluminium colour (even if it is available in 5 different colours), voice, data and of the series Simon 82 Centralisations and that is used for 1 Systimax ® RJ45 connector. This cover has an element and is perfect to be installed both flush mounted and surface-mounted and its cleaning is very easy to perform, as you just have to use a soft cloth slightly moistened in soapy water and forget you of the abrasive cleaners and / or cloths containing chlorine in its formula. Of the series Simon 82 Centralisations you may note that is very versatile and can be installed in different spaces such as, for example, offices, retail, restaurants, hotels, kitchens, furnishings, bed headboards, control stations and station connection and also work stations. In addition, Simon 82 Centralisations, stands out because it offers many more electronic functions in less space. These functions are: The centralisation of blinds, adjustment of lighting, sound, memorization and Clockmaking and programming of temperature.

### FINISH

Aluminium

### COMPATIBILITY

Simon 75 mechanisms

### ETIM CLASS

EC000018

### SYMBOL

Without engravings

### PACKAGING CONTENTS

Cover

### REMARKS

Available in 5 finishes.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### FORMAT

RJ45

### NUMBER OF MODULES

2 modules

### COMPATIBLE WITH CONNECTORS

Systimax

### INDICATOR FUNCTION

No

### PLATE TYPE

Flat

### DUST SHUTTER

Yes

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### RJ45 ADAPTOR MODULE

Not Included

### NUMBER OF POSSIBLE ELEMENTS

1 element

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Horizontal, Vertical

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012

## LOGISTICS INFORMATION

### UNITARY EAN CODE

7506020302993

### UNITARY PACKAGING GROSS WEIGHT

0.011

### PACKAGING LENGTH

75

### UNITARY PACKAGING HEIGHT

22.5

### PRODUCT NET WEIGHT

0.007

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING WIDTH

22.5

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING VOLUME

0.338

### UNITARY PACKAGING LENGTH

54.5

### PACKAGING EAN

7506207302686

### PACKAGING VOLUME UNIT

DMQ

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITS CONTAINED PACKAGING

5

### PACKAGING GROSS WEIGHT

0.056

### UNITARY PACKAGING VOLUME

0.028

### PACKAGING HEIGHT

60

### PACKAGING NET WEIGHT

0.035

### UNITARY PACKAGING VOLUME UNIT

DMQ


### PACKAGING WIDTH

75


### PACKAGING WEIGHT UNIT

KGM

## VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO



## DIAGRAMA DE MONTAJE



\*Placa y chasis NO incluidos